

OBSRDL023

Gas Monitor

Duur	60 Minutes
Doelgroep	Oil & Gas Industry
Vooropleiding	No prerequisites are required to sit this course.
Doelstelling	<p>LO1: Hot work (any operation involving naked flames or producing heat and/or sparks or any operation that has spark potential)</p> <p>LO2: Confined space criteria</p> <p>LO3: The type of operations being tested for flammable and toxic gases</p> <p>LO4: Roles and Responsibilities of the Fire Watch</p> <p>LO5: Roles and Responsibilities of the Standby Person</p> <p>LO6: Responsibilities of the Gas Monitor role</p> <p>LO7: How to select, use and care for PPE</p> <p>LO8: How to work within the Safe System of Work</p> <p>LO9: The hazards and properties of flammable and toxic gases</p> <p>LO10: The behaviour of gases</p> <p>LO11: Impact of environmental changes on working conditions</p> <p>LO12: The importance of checking that the controls on the equipment are as specified</p> <p>LO13: Sources of assistance and specialist support</p> <p>LO14: Completion of relevant documentation</p>
Inhoud	<p>The course is available in the following languages: English; Dutch; German</p> <p>The course will ensure that personnel preparing to provide safety watch duties through the ongoing monitoring of hot-work sites are equipped with the relevant knowledge to safely carry out the role.</p> <p>Our course has been developed in bitesize learning chunks for each topic. At the end of each module, there will be an assessment. Delegates will need to pass each module at 80 percent or above. When you pass the course, you will be issued with a certificate which is valid for 3 years.</p> <p>The aim of this course is to teach you the requirements associated with providing safety watch duties for hot-work sites. On successful completion, you will have the basic knowledge necessary to allow you to carry out the role. You may however be asked to complete further workplace training before being formally appointed.</p>
Examinering	The assessment is taken during the course and is within the expected duration.